

----- MATERIAL SAFETY DATA SHEET -----
#12 DEGLAZER
Fiebing

IDENTITY (As Used on Label and List): #12 Deglazer

SECTION I

MANUFACTURER'S NAME: FIEBING COMPANY, INC.
516 SOUTH 2ND STREET
MILWAUKEE, WI 53204
EMERGENCY TELEPHONE NUMBER: (800) 424-9300
TELEPHONE NUMBER FOR INFORMATION: (414) 271-5011
DATE PREPARED: 03/04/08

Please be advised, due to California regulations limiting the VOC content in retail products, this item in your shipment may not be sold to a retail customer. This item, that is bound by these regulations, is intended for commercial use only, and shall not be re-sold nor placed on a retail shelf at any time in the State of California.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components (Specific Chemical Identity: Common Name(s))	OSHA PEL	ACGIH TLV	% (optional)
Ethyl Acetate (CAS No. 141-78-6) Other Limits Recommended: N/A	N.E.	400 ppm	> - 50
Ethanol (CAS No. 64-17-5) Other Limits Recommended: N/A	N.E.	1000 ppm	> - 9

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: 165 deg F IBP
VAPOR PRESSURE (mm Hg.): 72.8 mm Hg
VAPOR DENSITY (AIR = 1): >1
SPECIFIC GRAVITY (H2O = 1): 0.89
MELTING POINT: N/A
EVAPORATION RATE (Butyl Acetate = 1): >1
SOLUBILITY IN WATER: Substantial
APPEARANCE AND ODOR: Clear liquid with strong ester odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method Used): 24 deg F (TCC)
FLAMMABLE LIMITS:
LEL: N.D.
UEL: N.D.
EXTINGUISHING MEDIA: Carbon dioxide, dry chemical, foam, water spray.
SPECIAL FIRE FIGHTING PROCEDURES: Wear MESA/NIOSH approved self-contained breathing apparatus. Cool sealed drums

with water spray to lessen chance of rupture. Direct water jet may spread flames and cause foaming.
UNUSUAL FIRE AND EXPLOSION HAZARDS: Material is extremely flammable.

SECTION V - REACTIVITY DATA

STABILITY: Stable

CONDITIONS TO AVOID: Heat and all sources of ignition.
INCOMPATIBILITY (Materials to Avoid): Strong oxidizers, acids and bases.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Carbon monoxide, carbon dioxide upon incomplete combustion.

HAZARDOUS POLYMERIZATION: Will Not Occur

CONDITIONS TO AVOID: N/A

SECTION VI - HEALTH HAZARD DATA

ROUTE(S) OF ENTRY:

INHALATION? Yes

SKIN? Yes

INGESTION? Yes

HEALTH HAZARDS (Acute and Chronic): Skin and eye contact may cause irritation. Inhalation may cause nausea, headache, dizziness, and irritation of respiratory tract.

CARCINOGENICITY:

NTP? No

IARC MONOGRAPHS? No

OSHA REGULATED? No

SIGNS AND SYMPTOMS OF EXPOSURE: As noted above.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: No information available.

EMERGENCY AND FIRST AID PROCEDURES: Skin Contact - Wash with soap and water. Eye Contact - Flush with plenty of water for at least 15 minutes. Call a physician. Inhalation - Provide fresh air, oxygen or artificial respiration as needed.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Eliminate all sources of ignition. Permit only properly protected workers in the area. Wear skin and eye protection and MESA/NIOSH approved self-contained breathing apparatus. Absorb with appropriate material.

WASTE DISPOSAL METHOD: Dispose of according to federal, state, county and local regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store drums well sealed, in a cool, dry, well ventilated area away from all ignition sources. Ground containers when transferring material.

OTHER PRECAUTIONS: Keep from children's reach. Avoid skin and eye contact. Avoid breathing vapors or mists. Do not ingest. Empty containers retain product residue and can be dangerous.

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION (Specify Type): If TLV is exceeded
use MESA/NIOSH approved respirator for organic vapors.

VENTILATION:

LOCAL EXHAUST: Recommended
MECHANICAL (General): Adequate
SPECIAL: To a fire-safe area.
OTHER:

PROTECTIVE GLOVES: Impervious

EYE PROTECTION: Chemical splash goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Apron, safety
shower, eyewash station.

WORK/HYGIENIC PRACTICES: Wash thoroughly after handling.

N.D. = NOT DETERMINED

N.E. = NOT ESTABLISHED

N/A = NOT APPLICABLE

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES: Although
reasonable care has been taken in the preparation of this
document, we extend no warranties and make no
representation as to the accuracy or completeness of the
information contained therein, and assume no responsibility
regarding the suitability of this information for the
user's intended purposes or for the consequences of its
use. Each individual should make a determination as to the
suitability of the information for their particular
purpose(s). A request has been made to the manufacturer to
approve the contents of this material safety data sheet.
Upon receipt a new MSDS will be made available.

COMPAS Code: 12970040